

**SYSTEMÖKOLOGIE ETHZ**

**SYSTEMS ECOLOGY ETHZ**

**BERICHT/REPORT Nr. 30**

---

**D.Keller**

**B. Price (Editor)**

## **Introduction to the Dialog Machine 2nd Edition**

**April 2003**



---

**Eidgenössische Technische Hochschule Zürich ETHZ**

**Swiss Federal Institute of Technology Zurich**

Departement für Umweltnaturwissenschaften / Department of Environmental Sciences

Institut für Terrestrische Ökologie / Institute of Terrestrial Ecology

The System Ecology Reports consist of preprints and technical reports. Preprints are articles, which have been submitted to scientific journals and are hereby made available to interested readers before actual publication. The technical reports allow for an exhaustive documentation of important research and development results.

Die Berichte der Systemökologie sind entweder Vorabdrucke oder technische Berichte. Die Vorabdrucke sind Artikel, welche bei einer wissenschaftlichen Zeitschrift zur Publikation eingereicht worden sind; zu einem möglichst frühen Zeitpunkt sollen damit diese Arbeiten interessierten LeserInnen besser zugänglich gemacht werden. Die technischen Berichte dokumentieren erschöpfend Forschungs- und Entwicklungsresultate von allgemeinem Interesse.

[www.sysecol.ethz.ch](http://www.sysecol.ethz.ch)

#### Authors / Editors:

D. Keller

Automatic Control Laboratory  
Swiss Federal Institute of Technology  
Physikstrasse 3, ETL K14  
CH-8092 Zürich

B. Price

Terrestrial Systems Ecology / Fachgruppe Systemökologie  
Institute of Terrestrial Ecology / Institut für terrestrische Ökologie  
Departement of Environmental Sciences /  
Umweltnaturwissenschaften  
ETH Zürich  
Grabenstrasse 3  
CH-8952 Schlieren/Zürich

#### Main and awarded designer of the Dialog Machine

A.Fischlin, Terrestrial Systems Ecology / Fachgruppe Systemökologie  
Institute of Terrestrial Ecology / Institut für terrestrische Ökologie  
Departement of Environmental Sciences / Umweltnaturwissenschaften  
ETH Zürich  
Grabenstrasse 3  
CH-8952 Schlieren/Zürich

#### Corresponding Author:

<mailto:andreas.fischlin@env.ethz.ch>

**Cite as:** KELLER, D., 2003. Introduction to the Dialog Machine, 2nd Edition. Terrestrial Systems Ecology, Department of Environmental Systems Science, ETH Zurich, Zurich, Switzerland. Systems Ecology Report No. **30**: 35pp. doi: [10.3929/ethz-b-000728557](https://doi.org/10.3929/ethz-b-000728557)

The software **Dialog Machine (DM)** has been awarded with the Denzler award and is available as part of RAMSES (Research Aids of Modeling and Simulation of Environmental Systems) at

[www.sysecol.ethz.ch/ramses/ramses-software-layers/dialog-machine-dm.html](http://www.sysecol.ethz.ch/ramses/ramses-software-layers/dialog-machine-dm.html)

The DM is described in detail in Fischlin, A., & Thommen, F. (2003/2006). On the Dialog Machine. Electronic Documentation, Terrestrial Systems Ecology, Department of Environmental Systems Science, ETH Zurich, Switzerland, 52pp. [www.sysecol2.ethz.ch/SimSoftware/RAMSES/Documents/On\\_the\\_Dialog\\_Machine.pdf](http://www.sysecol2.ethz.ch/SimSoftware/RAMSES/Documents/On_the_Dialog_Machine.pdf)

**Front Page:** Celtic artwork «Boann's Spiral» by Margrit Fischlin-Kissling  
© 1985)

# Introduction to the Dialog Machine

by

DANIEL KELLER



## Contents

PREFACE .....	2
SCOPE OF THIS INTRODUCTION .....	3
BASIC CONCEPTS AND FEATURES .....	4
The Concept of Active Elements .....	4
A Small Example .....	5
Building Up a Menu Bar .....	7
Using Windows.....	8
Output to a Window .....	9
Input from the User .....	9
Summary of the 30 Most Used Commands.....	11
ADVANCED TOPICS .....	12
Two-dimensional Function Graphs.....	12
File Access.....	12
Controlling the Cursor Shape .....	12
Watching the Mouse.....	12
Dragging .....	12
Keyboard Equivalents for Menu Entries .....	13
Edit Fields .....	13
Scrolling.....	13
Clipping .....	13
Restoring Window Contents.....	13
Passing Control to the Dialog Machine .....	14
Hardware & Software Environments .....	14
REFERENCES .....	15
References added for the 2003 edition.....	15
APPENDIX .....	16
Where To Get the ‘Dialog Machine’ .....	16
Seven Sample Programs .....	16

## PREFACE

The Dialog Machine is a library of Modula-2 routines for the easy programming of user-friendly interfaces on the Macintosh and the PC. It consists of about 300 procedures for the creation and handling of menu bars, windows, graphical and textual output, and input via the mouse and dialog boxes.

The Dialog Machine (later called the DM) was created at the ETH in the years 86/87 for the easier programming of the Apple Macintosh in Modula-2. The library contains practically everything needed to write programs that fully use the capabilities of the Macintosh (see the screen shots in this paper). However it is clearly a tool to *simplify* the programming of a graphical user interface and therefore it is restricted in its functionality. As a benefit the code of programs using the DM can be very short - considering their appearance and ease of use. The appendix lists seven sample programs, all of which count less than 200 lines.

In 1988/89 the DM was ported to the MS-DOS/PC. Apart from a few omissions and limitations, a Modula-2 program using the DM can easily be ported from the Macintosh to the PC. One only needs to re-compile and link with the DM/PC library. The resulting application then runs under GEM and makes full use of the mouse, drop-down menus, and windows, thereby giving the same user-friendly look and feel as on the Macintosh.




Fig. 1: sample screen of a program using the DM with menus, windows, graphical output, and a dialog box.




Fig. 2: PC-screen dump of a program that was originally written for the Macintosh and then ported to the PC with only a few hours work.

## SCOPE OF THIS INTRODUCTION

This paper is intended as a first introduction to the DM for programmers who are already fluent in Modula-2. No aid is given in explaining the language Modula-2. It is also assumed that you are familiar with the user interface concepts of the Apple Macintosh (or the GEM Desktop on the PC). Before attempting to read this, you should already have worked with either a Macintosh - or another window-based system with a mouse - for more than a few days. It is recommended to read the chapter on User Interface Guidelines in Volume 1 of *Inside Macintosh*.

The paper is divided into two parts: the first one explaining the 30 most used commands of the DM, and the second one giving an outlook to the more advanced topics, i.e. the over 250 remaining commands which are used less frequently.

This short introduction does not relieve you from the burden of reading the comments in the definition modules of the DM. It only gives you a brief overview, so that you get to know the most important concepts before you start programming.

## BASIC CONCEPTS AND FEATURES

### The Concept of Active Elements

The DM takes full control over the user's input, i.e. mouse clicks, keystrokes, and menu selections. Some of the user's input the DM handles all by itself, e.g. dragging a window to another location requires no code to be written, all this is done by the DM automatically. Some other input must be handled by the program, e.g. the DM must know what to do when the user selects a menu entry.

The concept to handle such user actions is simple: the DM provides two sorts of active elements: *menu commands* (also called "menu entries") and *push buttons*. All the programmer has to do is to tell the DM which procedure to execute when the user clicks onto one of the active elements: *each active element must have a procedure attached*. The rest (i.e. event handling loop, menu inversion, etc.) is taken care of by the DM.

The following code fragment illustrates this concept. This fragment installs one menu with two command entries. The title of the menu is "Simulation" and the text of the two menu entries is "Open and read data file" and "Draw the curve".

```
InstallMenu( SimMenu, "Simulation", ...);
InstallCommand( SimMenu, ..."Open and read data file", ReadSimData ...);
InstallCommand( SimMenu, ..."Draw the curve", PlotSimCurve ...);

PROCEDURE ReadSimData;                                PROCEDURE PlotSimCurve;
BEGIN                                              BEGIN
    GetExistingFile( ...FileisOpen);      IF NOT WindowExists(CurveWindow)
THEN
    IF FileisOpen THEN                      CreateWindow( ...);
        WHILE NOT EOF ( ) DO             END;
        ...
    END;
END;
END ReadSimData;
```




Fig. 3: The menu bar created by the above code fragment

One parameter of the procedure `InstallCommand` is *the name of another procedure* (here `ReadSimData` and `PlotSimCurve`), namely the procedure to be executed when this menu entry is selected. The DM now handles all user inputs: whenever the user selects one of these two entries, the corresponding procedure (`ReadSimData` or `PlotSimCurve` in the above example) is executed by the DM.

The typical DM program first creates a menu bar by calling `InstallMenu` and `InstallCommand`, thereby attaching a procedure to each menu entry. This procedure must be without parameters and must be located at the top level of the module. After having written the parameterless procedures and after having built the menu bar, the program passes the control over to the DM with `RunDialogMachine`. This means:

*"Look, my dear Dialog Machine, I have constructed the menu bar with the attached procedures. Now YOU take over and monitor all the user's actions with the mouse. You know now which procedures to execute when the user selects a menu entry."*

## A Small Example

The following sample program allows opening a window, drawing some lines into it, clearing the window contents, and exiting the program.

Note that the program does not prevent the user to open the window a second time or to draw into the window when it is not open. Enforcing a certain sequence of commands or disabling inapplicable commands can be achieved by enabling and disabling the appropriate menu entries so that they cannot be selected when they should not. This is not done here. The purpose of this example is to demonstrate the typical structure of a DM program.




Fig. 4: A screen dump from the program "First" (the Quit command in the menu is automatically added by the DM)

```

MODULE First;                      (*Example of a small Dialog Machine program *)

FROM DMaster      IMPORT RunDialogMachine;

FROM DMMenus       IMPORT Menu, Command, Separator, AccessStatus, Marking,
                        InstallMenu, InstallCommand;

FROM DMWindows     IMPORT Window, WindowKind, ScrollBars, WFFixPoint,
                        CloseAttr, ZoomAttr, WindowFrame, RectArea,
                        CreateWindow, AutoRestoreProc;

FROM DMWindowIO    IMPORT EraseContent, SetPen, LineTo;

VAR
  FirstMenu:        Menu;
  MakeWindowComm:   Command;
  DrawLinesComm:    Command;
  ClearComm:        Command;

  The Window:       Window;

PROCEDURE MakeWindow;
VAR
  BigFrame: WindowFrame;
BEGIN
  WITH BigFrame DO
    x := 50; y := 50;          (* coordinates of lower left corner *)
    w := 300; h := 250;         (* width and height of the window *)
  END;
  CreateWindow( TheWindow, FixedLocation,
                WithoutScrollBars, WithoutCloseBox, WithoutZoomBox,
                bottomLeft, BigFrame, "This is not a title", AutoRestoreProc );
END MakeWindow;

PROCEDURE DrawLines;
BEGIN
  SetPen( 20, 20 );           (* coordinates within the window *)
  LineTo( 180, 20 );
  Lineto( 180, 230 );
  LineTo( 20, 20 );
END DrawLines;

BEGIN
  InstallMenu( FirstMenu, "WindowDraw", enabled );
  InstallCommand( FirstMenu, MakeWindowComm, "Open window",
                  MakeWindow, enabled, unchecked );
  InstallCommand( FirstMenu, DrawLinesComm, "Draw lines",
                  DrawLines, enabled, unchecked );
  InstallCommand( FirstMenu, ClearComm, "Clear window",
                  EraseContent, enabled, unchecked );
  RunDialogMachine;
END First.

```

## Building Up a Menu Bar

### MENU ENTRIES AND SEPARATORS

A menu bar is built up from left to right. The first `InstallMenu` command creates the first menu after the `Apple`-menu. With the procedure `InstallCommand` a single menu entry can be added to an existing menu. The new command is added at the bottom of the list of commands already in the menu.

Note: With the DM it is not possible to insert either a menu between two menus, or a menu command between two commands. Menus and commands are always added to the right of the menu bar, or the bottom of a menu resp.

A separator (a dotted line or a blank line) can be added to a menu by using the `InstallSeparator` command. This is useful for separating one group of related commands from another.

### THE QUIT COMMAND

Each menu-driven application must have a QUIT command in order to be able to exit properly. With the procedure `InstallQuitCommand` a separator and a menu entry is added to the leftmost menu. The DM terminates when the user selects this entry. If you never issue a call to `InstallQuitCommand` before `RunDialogMachine` is called, the DM automatically adds a QUIT entry in the leftmost menu.

### ENABLING AND DISABLING MENU ENTRIES

Menu entries can be disabled (their text appears in a light grey as opposed to full black) so that they cannot be selected. This is a very useful feature to ensure that certain commands cannot be issued at certain times, e.g. the command "Read data file" should be disabled when no data file is open (see Fig. 5); after having opened the file, the command "Read data file" can be enabled. Turning a command on and off is done with calls to `DisableCommand` and `EnableCommand`.




Fig 5: A menu with separators and a disabled command.

## Using Windows

### CREATING A WINDOW

Windows come in different shapes: they can be small or large, they can have a title bar or not, they can be moveable or sizeable or both, etc. All this is controlled with the parameters to the `CreateWindow` command.

There are four basic types of windows provided by the DM (see Fig. 6):

- 1) a very simple window which cannot be re-sized, nor moved (dragged) to another location: `FixedLocation`
- 2) One that cannot be resized, but moved around: `FixedSize`
- 3) The same as 2) but with a title bar
- 4) A window that can be dragged around and re-sized

The `WindowFrame` parameter for `CreateWindow` specifies the size of the usable area (without the title and scroll bars) within the window in pixels. The X and Y coordinates specify the location of the lower left corner.

To make the life of programmers easy, the DM provides automatic mechanisms for the restoring and scrolling of windows.




Fig. 6: Window types provided by the DM

## THE CONCEPT OF THE CURRENT OUTPUT WINDOW

The DM always knows a *current output window*. All output takes place in this window. A newly opened window automatically becomes the current output window. With multiple windows it is possible to direct the output to the desired window by using the procedure `SelectForOutput`. This defines the new current output window. Note that the current output window need not be the top (front) window; they can be different (see also the definition modules of `DMWindow` and `DMWindowIO`)

## CLEANING AND CLOSING A WINDOW

The content of the current output window can be erased (cleaned) using the command `EraseContent`. Closing and removing a window from the screen can be done with `RemoveWindow`.

## Output to a Window

The cursor can be placed anywhere in the window by using `SetPen` (pixel coordinates X, Y with fixpoint = lower left corner) or `SetPos` (character cell coordinates Line/Column with fixpoint = upper left corner). Both procedures move the same pen position. All drawing, writing, or painting now takes place starting from this point. All output routines move the pen position.

## TEXTUAL OUTPUT

The DM provides the usual routines for ASCII output, like: `WriteString`, `WriteInt`, `WriteReal`, `Write`, `WriteLn`, etc., starting from the current pen position.

The current font with its characteristics (default: plain Geneva 12 on a Mac, the System font on a PC) can be changed with `SetWindowFont`.

## DRAWING PRIMITIVES

Drawing of simple graphics can be achieved with the routines `Dot`, `LineTo` (from the current to the new location), `Circle`, and `Area` (paints a rectangular area). The pattern with which all drawing takes place can be changed with `SetPattern`.

## DISPLAYING MACPAINT PICTURES

To show more elaborate pictures it is recommended to paint them first with MacPaint or another painting program. After that the picture can be copied to the clipboard and from there into a resource file (use the program `DMResMover` to achieve this). With the call `DisplayPredefinedPicture` such a picture can be displayed in a window.

## Input from the User

### MODAL AND MODELESS DIALOGS

*modal:*

In a modal dialog the user is forced to terminate the dialog by using one of the exit buttons (usually

labelled CANCEL and OK). No other action outside the dialog box can be taken, i.e. the user is forced into "a mode".

#### *modeless:*

The modeless dialog on the other hand offers the user the choice to terminate the dialog or to do something else, e.g. selecting another window or selecting a menu entry. The modeless dialog is not used as often as the modal dialog, although it is friendlier to the user because it leaves more choices open rather than forcing the user to do something particular.

An example for a modeless dialog is the "find string" box in a word processing program: you can enter a search string, search for the occurrences of the string, or just click into the text window and continue editing without having to terminate the search dialog by pressing OK.

## MODAL DIALOG BOXES

The Module DMEntryForms contains the procedures to construct modal dialogs: `stringField`, `RealField`, `RadioButton`, `CheckBox`, etc. (see the examples `FontStyleTest` and `PaintModes` in the appendix). After having placed the fields, the program passes control to the DM by calling `useEntryForm`. The DM opens a dialog box of the specified size and first completes the dialog by adding two buttons labelled CANCEL and OK. Then it handles all user input like clicking a check box, skipping to the next editable field with the TAB key, editing a number field, etc.

When the user presses one of the two exit buttons (CANCEL or OK) the procedure `useEntryForm` returns and the contents of the fields and the state of the check boxes and radio buttons can be examined.

## MODELESS DIALOGS

Modeless dialogs can be constructed by opening a window and placing EditFields into it (see the paragraph on EditFields in the section *Advanced Topics* and `DMEditFields.DEF`).

A `PushButton` (from `DMEeditFields`) is the most often used element of a modeless dialog. Such a button can be placed into any window. Similar to a command entry in a menu the programmer attaches a procedure to this button. The DM monitors the user's action, and - since the button is an "active element" - calls the attached procedure when the user presses the button.

## **Summary of the 30 Most Used Commands**

DMMaster	InitDialogMachine RunDialogMachine	-- only in the PC version
DMMenus	InstallMenu InstallCommand InstallSeparator InstallQuitCommand DisableCommand EnableCommand	
DMWindows	CreateWindow RemoveWindow	
DMWindowIO	SetPen SetPos Dot LineTo WriteString WriteInt WriteReal WriteLn DisplayPredefinedPicture EraseContent SelectForOutput	
DMEntryForms	StringField IntField RealField CheckBox DefineRadioButtonSet RadioButton WriteLabel UseEntryForm	
DMEditFields	PushButton	

## **ADVANCED TOPICS**

Many programmers will only use the 30 Most Used Commands of the previous paragraphs (and will write beautiful programs!). However, to take full advantage of the graphical user interface à la Macintosh one might need the elements and commands described briefly in this second part of the introduction.

The description of the commands is not exhaustive. It is intended to show the further possibilities of the DM without teaching the details of the calls (which can be looked up in the .DEF files).

### **Two-dimensional Function Graphs**

The module DM2DGraphs offers some sophisticated routines for showing two-dimensional graphs in a window. Scaling and labeling of the axes is done automatically.

`DefineGraph`, `DefineCurve` and `Plot` are (almost) the only commands needed to create gorgeous curves.

### **File Access**

The DM supports the standard Macintosh (and GEM) mechanism for selecting and opening a file with a file selector box. The routines for reading and writing text (ASCII) files are provided (including `GetInteger`, `PutInteger`, `GetReal`, etc.).

### **Controlling the Cursor Shape**

A change of the cursor to the wristwatch symbol is done with a call to `ShowWaitSymbol`. The user now gets the visual feedback that something lengthy is going on, e.g. reading a file or a long calculation. A call to `HideWaitSymbol` reverts to the normal arrow cursor.

### **Watching the Mouse**

`GetCurMousePos` delivers the current mouse position. `RectClicked` and `PointClicked` allow monitoring of mouse clicks at specified locations within a window. The program `MouseTest` in the appendix demonstrates the use of these procedures.

### **Dragging**

It is one of the nice things on the Macintosh that the user can pick up an object and drag it somewhere else. The DM supports this feature in a very easy way: just call the procedure `Drag` with two other procedures as parameters, one to be called repeatedly during dragging to draw the outline of the dragged object, the other to erase the object at its old location and re-draw it at the new location. Everything else is taken care of by the DM (see the sample program `DragZoom`).

## **Keyboard Equivalents for Menu Entries**

It is good practice to provide keyboard equivalents for often-used commands (like the standard abbreviations -C, X, V for Copy, Cut, and Paste, -S and P for Save and Print, and -Q for Quit).

The procedure `InstallAliasChar` allows to add a keyboard equivalent for the specified menu entry.

## **Edit Fields**

The module `DMEditFields` provides all the routines for modeless dialogs. `EditFields` can be placed into any open window with the routines `StringField`, `CharField`, `IntField`, `RealField`, `PushButton`, etc. The DM automatically watches for clicks into any of these fields and lets the user edit the (editable) fields. Whenever the program needs the values, it can test and fetch them with the routines `GetString`, `IsChar`, `IsReal`, `IsInteger`, `GetRadioButtonSet`, etc.

`EditFields` can be enabled, disabled, preset with a value, and removed from the window.

## **Scrolling**

The window contents can be scrolled either automatically or by explicitly asking for the scrollbar positions and moving the contents. It is recommended to use the `AutoScroll` mechanism only (see the sample program `ScrollTest`).

## **Clipping**

All output is automatically clipped by the DM to the work area of the current window. Under program control the painting area can be restricted further by specifying a clipping rectangle and calling the routine `SetClipping`.

## **Restoring Window Contents**

Whenever windows overlap, the contents of a window can be destroyed. After uncovering, the previously hidden parts must be restored. This can be done automatically by the DM's autorestore mechanism. Here each output command is executed twice, first it draws into the window, and afterwards it draws a second time the same into a hidden bitmap. Restoring destroyed parts of a window now just means copying from the hidden bitmap into the window.

Autorestoring is simple, but takes a lot of memory for the hidden bitmap (up to 22K per window on a Mac Plus, up to 200K with color monitors and larger screens). Drawing is also slower when autorestoring is in effect because each output routine is executed twice. The restoring itself (copying from the hidden bitmap into the window) is very fast.

Each window has a restore procedure attached (the `Repaint` parameter to `CreateWindow`). If it is the `AutoRestoreProc`, the above mechanism is in effect. Specifying the `DummyRestoreProc` means that no restoring takes place (except re-drawing `EditFields` in this window).

The programmer can specify his/her own routine that will then be called whenever the window needs restoring. So the programmer can pack all drawing calls into one procedure and pass the name of this procedure as a parameter to the `CreateWindow` call.

## **Passing Control to the Dialog Machine**

Usually the control is with the DM. The DM monitors the user events (keyboard, mouse clicks) and calls the "attached" procedures provided by the programmer. In some cases the execution of the procedure takes a long time or the program executes a loop within this procedure. Now temporal control can be passed back to the DM, just for one split second (around 20ms), by calling `DialogMachineTask`. This means:

*"Dear Dialog Machine, please check if anything of importance has happened since you last had control, e.g. the user has selected a menu entry. If so, quickly execute the attached procedure, but then return control back to me as soon as possible. Thanks."*

## **Hardware & Software Environments**

### **APPLE MACINTOSH**

Any Macintosh with at least 512K Bytes of memory and with the new ROMs can be used for programming with the DM. A hard disk is recommended, although it is possible to develop applications with only two 800K diskette drives.

The DM Version 1.0 for the Mac requires either MacMETH 2.4 (does not run on the SE/30 and the IIcx) or MacMETH 2.5.2 to compile and link the programs. MacMETH can be obtained from the Stabsstelle Software, Dept. Informatik, ETH, CH-8092 Zürich.

A separate editor is highly recommended, since the MacMETH Editor does not adhere to the usual Macintosh interface standards. Good choices: MEdit, an editor with user-definable macros, written by Matthias Aebi, and QUED/M, a powerful editor with macros and regular expression capabilities.

### **MS-DOS/PC**

The DM Version 1.0 for the MS-DOS/PC requires an IBM-compatible computer with at least 512K memory, a mouse (Microsoft, Genius, LOGITECH, etc.), a hard disk drive, and a floppy disk drive. The compiler to use in connection with the DM is JPI's TopSpeed Modula-2 compiler (I had first used LOGITECH's, but after five months of development I switched to JPI - I never regretted it, TopSpeed is a smart, lean, and fast environment. The only thing I miss is mouse support in the editor).

GEM is the graphical interface with which the DM works. The GEM Desktop is all it takes; the developer's kit is not needed, except for those who want to market the programs written with the DM (licence and copyrights of DRI Inc.).

In order to run the programs - which often use graphics heavily - sufficiently fast, a computer of the AT class (Norton SI rating > 7) or at least an XT Turbo (Norton SI rating > 2) is recommended. An ordinary PC-XT with 4.77 MHz (Norton SI reference rating = 1) is too slow for most DM applications.

It is also recommended that the computer have the full 640K of memory, since DOS and GEM eat up close to 200K already. After the smallest possible DM program is loaded, a heap area of about 300K (of 640K) remains free.

The screen must have a resolution better than 512 x 342 pixels (most screens do, only the oldest ones used to have 640 x 200 which is not enough). The screen can be colour or monochrome, although the DM only draws in black-and-white.

## REFERENCES

Apple Computer Inc.: Inside Macintosh, Volume I, Addison-Wesley, 1985

Fischlin, Andreas: "The 'Dialog Machine' for the Macintosh", Projekt-Zentrum IDA, ETH Zürich, 1988

Keller, Daniel: "Mac-PC compatibility" (a short listing of inconsistencies between the two versions of the Dialog Machine), Projekt-Zentrum IDA, ETH Zürich, 1989

Listings of the DEFINITION modules of the Dialog Machine (on disk).

## References added for the 2003 edition

The following publications introduce and summarize the “Dialog Machine”:

Fischlin, A., Mansour, M.A., Rimvall, M. & Schaufelberger, W., 1987. *Simulation and computer aided control system design in engineering education*. In: Troch, I., Kopacek, P. & Breitenecker, F. (eds.), *Simulation of Control Systems*. Pergamon Press, Oxford a.o., pp. 51-60.

Fischlin, A. & Schaufelberger, W., 1987. Arbeitsplatzrechner im technisch-naturwissenschaftlichen Hochschulunterricht. *Bull. Swiss Electrotech. Assoc.*, **78**(1): 15-21.

## **APPENDIX**

### **Where To Get the ‘Dialog Machine’**

The “Dialog Machine” has its own home page at

<http://www.ito.umnw.ethz.ch/SysEcol/SimSoftware/RAMSES/DialogMachine.html>

where you can learn about latest developments and download latest releases. The “Dialog Machine” has been implemented for the following platforms: Macintosh, Atari, IBM PC (GEM, Windows), Unix workstations (IBM Risc, Sun).

From above site you can also download the following documentation further explaining the concepts of the “Dialog Machine”:

Fischlin, A. & Thommen, F., 2003. On the Dialog Machine. Electronic Documentation Institute of Terrestrial Ecology, Swiss Federal Institute of Technology ETH, Zurich, Switzerland, 52 pp.

### **Seven Sample Programs**

#### *WindowTest*

shows the use of several overlapping windows together with the AutoRestore mechanism

#### *FontStyleTest*

shows how different fonts and styles are set with `setwindowFont` and the aid of a modal dialog box

#### *PaintModes*

all drawing primitives are demonstrated in conjunction with the four paint modes: replace, paint, XOR, erase

#### *MouseTest*

illustrates how to monitor mouse coordinates and watch for clicks into a rectangular area

#### *ScrollTest*

the AutoScroll mechanism is demonstrated

#### *EFDemo*

shows the use of EditFields (modeless dialog)

#### *DragZoom*

about dragging an object and drawing its outline, plus the use of `DisplayPredefinedPicture`.  
(This sample program only works fine on the Macintosh. On the PC scaling a picture with `DisplayPredefinedPicture` does not work - only a 1:1 display of pictures).

```

MODULE WindowTest;

(*
* This program shows the use of several overlapping windows and their handling
* with the mouse. It is also a test for the AutoRestore mechanism.
*)

FROM DMMaster IMPORT RunDialogMachine;

FROM DMMenus IMPORT Menu, Command, InstallMenu, InstallCommand,
               Separator, InstallSeparator, AccessStatus, Marking,
               InstallQuitCommand, InstallAliasChar;

FROM DMWindows IMPORT Window, CreateWindow, WindowKind, ScrollBars,
                  CloseAttr, ZoomAttr, WindowFrame, WFFixPoint,
                  RectArea, RemoveWindow, RemoveAllWindows,
                  FrontWindow, AutoRestoreProc, AddWindowHandler,
                  WindowHandlers;

FROM DMWindIO IMPORT Dot, LineTo, SetPen, GreyContent, pat, Area, SetPos,
                 WriteString, SelectForOutput;

VAR
  firstMenu:           Menu;
  openWindowComm:      Command;
  drawComm:            Command;
  closeAllWindowsComm: Command;
  closeFrontWindowComm: Command;

  windowTable:         ARRAY[ 1..20 ] OF Window;
  nrOfWindows:         INTEGER;

PROCEDURE JustQuit( VAR reallyQuit: BOOLEAN );
BEGIN
  reallyQuit := TRUE;
END JustQuit;

PROCEDURE DecNrOfWindows( w: Window );
BEGIN
  DEC( nrOfWindows );
END DecNrOfWindows;

PROCEDURE Draw;
VAR
  greyBox: RectArea;
BEGIN
  SelectForOutput( FrontWindow() );
  Dot( 90, 20 );
  LineTo( 110, 20 );
  LineTo( 105, 40 );
  LineTo( 160, 30 );
  LineTo( 120, 70 );
  LineTo( 142, 62 );
  LineTo( 110, 100 );
  LineTo( 130, 94 );
  LineTo( 100, 140 );
  LineTo( 70, 94 );
  LineTo( 90, 100 );
  LineTo( 58, 62 );
  LineTo( 80, 70 );
  LineTo( 40, 30 );
  LineTo( 95, 40 );
  LineTo( 90, 20 );

  greyBox.x := 20; greyBox.y := 160; greyBox.w := 160; greyBox.h := 30;
  Area( greyBox, pat[ lightGrey ] );
  SetPos( 2, 4 ); WriteString( "happy New Year!" );
END Draw;

```

```

PROCEDURE MakeWindow;
VAR
    frame: WindowFrame;
BEGIN
    IF nrOfWindows<20 THEN
        WITH frame DO
            x := 20 + nrOfWindows*10;
            y := 20 + nrOfWindows*10;
            w := 200;
            h := 200;
    END;

    INC( nrOfWindows );
    CreateWindow( windowTable[ nrOfWindows ], GrowOrShrinkOrDrag,
                  WithBothScrollBars, WithCloseBox, WithZoomBox,
                  bottomLeft, frame, "Merry Christmas!", AutoRestoreProc );
    AddWindowHandler( windowTable [ nrOfWindows ], closing, DecNrOfWindows,0 );
END;
END MakeWindow;

PROCEDURE DeleteFrontWindow;
VAR
    w: Window;
BEGIN
    w := FrontWindow();
    RemoveWindow( w );
END DeleteFrontWindow;

PROCEDURE DeleteAllWindows;
BEGIN
    RemoveAllWindows;
    nrOfWindows := 0;
END DeleteAllWindows;

PROCEDURE MakeMenuBar;
BEGIN
    InstallMenu( firstMenu, "Windows", enabled );
    InstallCommand( firstMenu, openWindowComm, "Open new window",
                    MakeWindow, enabled, unchecked );
    InstallSeparator( firstMenu, line );
    InstallCommand( firstMenu, drawComm, "Draw into FrontWindow",
                    Draw, enabled, unchecked );
    InstallCommand( firstMenu, closeFrontWindowComm, "Close FrontWindow",
                    DeleteFrontWindow, enabled, unchecked );
    InstallCommand( firstMenu, closeAllWindowsComm, "Close all windows",
                    DeleteAllWindows, enabled, unchecked );
    InstallQuitCommand( "Quit", JustQuit, "Q" );


    InstallAliasChar( firstMenu, openWindowComm, "N" );
    InstallAliasChar( firstMenu, drawComm, "D" );
    InstallAliasChar( firstMenu, closeFrontWindowComm, "W" );
    InstallAliasChar( firstMenu, closeAllWindowsComm, "A" );
END MakeMenuBar;

BEGIN
    nrOfWindows := 0;
    MakeMenuBar;
    RunDialogMachine;
END WindowTest.

```



Windows



```

MODULE FontStyleTest;

(*
* This sample Dialog Machine program shows the use of a dialog
* box to change font characteristics.
*
* Exercise:
* Watch out for the font name (Geneva, NewYork...) and why it is *NOT*
* kept in the dialog box: whenever you select "Change text attributes"
* the font name is back to Chicago. Try to make it "remember" the font
* name you had selected last.
*)

FROM DMMaster      IMPORT RunDialogMachine;

FROM DMMenus        IMPORT Menu, Command, AccessStatus, Marking,
                           InstallMenu, InstallCommand, InstallQuitCommand,
                           InstallAliasChar;

FROM DMWindows      IMPORT Window, WindowKind, ScrollBars, WFFixPoint,
                           CloseAttr, ZoomAttr, WindowFrame, CreateWindow,
                           AutoRestoreProc;

FROM DMEntryForms   IMPORT FormFrame, DefltUse,
                           WriteLabel, IntField, CheckBox, UseEntryForm,
                           RadioButtonID, RadioButton, DefineRadioButtonSet;

FROM DMWindIO        IMPORT EraseContent, SetPen, WriteString, WriteInt,
                           WindowFont, FontStyles, FontStyle, SetWindowFont,
                           CellWidth, CellHeight;

CONST
  TheText = "Time has come, the walrus said..";

VAR
  firstMenu:          Menu;
  writeComm:           Command;
  changeComm:          Command;

  theWindow:           Window;

  charHeight:          INTEGER;
  isBold, isItalic,    BOOLEAN;
  isUnderlined:         BOOLEAN;

PROCEDURE WriteText;
BEGIN
  EraseContent;
  SetPen( 20, 120 ); WriteString( TheText );
  SetPen( 10, 50 ); WriteString( "CellWidth CellHeight" );
  SetPen( 10, 30 ); WriteInt( CellWidth(), 7 ); WriteInt( CellHeight(), 11 );
END WriteText;

PROCEDURE SetTextAttributes;
VAR
  ff:                 FormFrame;
  ok:                 BOOLEAN;
  fontID:              WindowFont;
  fontButtons:          RadioButtonID;
  style:                FontStyle;
  genevaRB:             RadioButtonID;
  monacoRB:             RadioButtonID;
  chicagorB:             RadioButtonID;
  newyorkRB:             RadioButtonID;

```

```

BEGIN
  IntField( 2, 2, 4, charHeight, useAsDeflt, 0, 30000 );
  WriteLabel( 2, 7, "Font size" );

  DefineRadioButtonSet( fontButtons );
  RadioButton( genevaRB, 4, 2, "Geneva" );
  RadioButton( monacoRB, 5, 2, "Monaco" );
  RadioButton( chicagoRB, 6, 2, "Chicago" );
  RadioButton( newYorkRB, 7, 2, "NewYork" );
  fontButtons := chicagoRB;

  CheckBox( 4, 20, "bold", isBold );
  CheckBox( 5, 20, "italic", isItalic );
  CheckBox( 6, 20, "underlined", isUnderlined );

  ff.x := 40; ff.y := 40; ff.lines := 9; ff.columns := 40;
  UseEntryForm( ff, ok );
  IF ok THEN
    style := FontStyle{};
    IF isBold THEN
      INCL( style, bold );
    END;
    IF isItalic THEN
      style := style + FontStyle{ italic };           (* alternative way *)
    END;
    IF isUnderlined THEN
      INCL( style, underline );
    END;
    IF fontButtons = genevaRB THEN
      fontID := Geneva;
    ELSIF fontButtons = monacoRB THEN
      fontID := Monaco;
    ELSIF fontButtons = chicagoRB THEN
      fontID := Chicago;
    ELSIF fontButtons = newYorkRB THEN
      fontID := NewYork;
    END;
    SetWindowFont( fontID, charHeight, style );
  END;
  WriteText;
END SetTextAttributes;

PROCEDURE JustQuit( VAR reallyQuit: BOOLEAN );
BEGIN
  reallyQuit := TRUE;
END JustQuit;

PROCEDURE MakeWindow;
VAR
  frame: WindowFrame;
BEGIN
  WITH frame DO
    x := 50; y := 50;
    w := 450; h := 250;
  END;
  CreateWindow( theWindow, FixedLocation,
                WithoutScrollBars, WithoutCloseBox, WithoutZoomBox,
                bottomLeft, frame, "Font Test", AutoRestoreProc );
END MakeWindow;

PROCEDURE MakeMenuBar;
BEGIN
  InstallMenu( firstMenu, "Fonts&Styles", enabled );
  InstallCommand( firstMenu, writeComm, "Write text",
                  WriteText, enabled, unchecked );
  InstallCommand( firstMenu, changeComm, "Change text attributes ...",
                  SetTextAttributes, enabled, unchecked );

```

```



InstallQuitCommand( "Quit", JustQuit, "Q" );

InstallAliasChar( firstMenu, writeComm, "W");
InstallAliasChar( firstMenu, changeComm, "A");
END MakeMenuBar;

BEGIN
  charHeight := 12;
  isBold := FALSE; isItalic := FALSE; isUnderlined := FALSE;

  MakeMenuBar;
  MakeWindow;
  WriteText;
  RunDialogMachine;
END FontStyleTest.

```



```

MODULE PaintModes;

(*
* Tests and shows the use of the paint modes provided by the Dialog Machine.
* Watch the interesting effects when you paint over existing patterns
* (paint the stripes first, then select "test paint...").
* Also try the combination of the "invert" mode with multiple painting of
* the same lines and patterns.
*)

FROM DMMaster      IMPORT RunDialogMachine;

FROM DMMenus        IMPORT Menu, Command, AccessStatus, Marking,
                           InstallMenu, InstallCommand, InstallQuitCommand,
                           InstallAliasChar, InstallSubMenu, SetCheckSym,
                           CheckCommand, UncheckCommand;

FROM DMWindows      IMPORT Window, WindowKind, ScrollBars, WFFixPoint,
                           CloseAttr, ZoomAttr, WindowFrame, RectArea,
                           CreateWindow, AutoRestoreProc;

FROM DMWindIO        IMPORT GreyContent, pat, PaintMode, SetMode,
                           EraseContent, SetPen, WriteString,
                           Dot, LineTo, Area, Circle;

FROM DMLanguage      IMPORT Language, SetLanguage;

VAR
  firstMenu:   Menu;
  modeMenu:    Menu;
  setModeComm: Command;
  modeReplaceComm: Command;
  modePaintComm: Command;
  modeInvertComm: Command;
  modeEraseComm: Command;
  paintComm:   Command;
  stripesComm: Command;
  clearComm:   Command;

  theWindow:     Window;
  bigFrame:      WindowFrame;
  currentPaintMode: PaintMode;

PROCEDURE UncheckModeCommand (mode: PaintMode );
BEGIN
  CASE mode OF
    replace: UncheckCommand( modeMenu, modeReplaceComm )
    | paint:  UncheckCommand( modeMenu, modePaintComm )
    | invert: UncheckCommand( modeMenu, modeInvertComm )
    | erase:  UncheckCommand( modeMenu, modeEraseComm )
  ELSE
  END;
END UncheckModeCommand;

PROCEDURE CheckModeCommand (mode: PaintMode );
BEGIN
  CASE mode OF
    replace: CheckCommand( modeMenu, modeReplaceComm )
    | paint:  CheckCommand( modeMenu, modePaintComm )
    | invert: CheckCommand( modeMenu, modeInvertComm )
    | erase:  CheckCommand( modeMenu, modeEraseComm )
  ELSE
  END;
END CheckModeCommand;

```

```

PROCEDURE SetModeReplace;
BEGIN
  UncheckModeCommand( currentPaintMode );
  currentPaintMode := replace;
  SetMode( currentPaintMode );
  CheckModeCommand( currentPaintMode );
END SetModeReplace;

PROCEDURE SetModePaint;
BEGIN
  UncheckModeCommand( currentPaintMode );
  currentPaintMode := paint;
  SetMode( currentPaintMode );
  CheckModeCommand( currentPaintMode );
END SetModePaint;

PROCEDURE SetModeInvert;
BEGIN
  UncheckModeCommand( currentPaintMode );
  currentPaintMode := invert;
  SetMode( currentPaintMode );
  CheckModeCommand( currentPaintMode );
END SetModeInvert;

PROCEDURE SetModeErase;
BEGIN
  UncheckModeCommand( currentPaintMode );
  currentPaintMode := erase;
  SetMode( currentPaintMode );
  CheckModeCommand( currentPaintMode );
END SetModeErase;

PROCEDURE DrawStripes;
CONST
  StripWidth = 30;
VAR
  strip: RectArea;
BEGIN
  WITH strip DO
    x := 0; y := 0;
    w := StripWidth;
    h := bigFrame.h;
  END;
  Area( strip, pat[ dark ] );
  strip.x := strip.x + 2 * StripWidth;
  Area( strip, pat[ darkGrey ] );
  strip.x := strip.x + 2 * StripWidth;
  Area( strip, pat[ grey ] );
  strip.x := strip.x + 2 * StripWidth;
  Area( strip, pat[ lightGrey ] );
  strip.x := strip.x + 2 * StripWidth;
  Area( strip, pat[ light ] );
  INC(strip.x, 2 * StripWidth);      (* alternative way *)
  Area( strip, pat[ dark ] );
END DrawStripes;

PROCEDURE Paint;
VAR
  i:      INTEGER;
  greyBox: RectArea;
BEGIN
  SetPen( 20, 120 );
  WriteString( "Test of the four paint modes" );
  SetPen( 10, 10 );
  FOR i := 1 TO 200 DO
    Dot( 2*i, i );
  END;

```

```

SetPen( 20, 20 );
LineTo( 20, 230 );
LineTo( 200, 230 );
LineTo( 200, 20 );
LineTo( 20, 20 );
Circle( 100, 100, 40, TRUE, pat[ lightGrey ] );
WITH greyBox DO
  x := 10; y := 180;
  w := bigFrame.w - 20; h := 40;
END;
Area( greyBox, pat[ grey ] );
END Paint;

PROCEDURE MakeWindow;
BEGIN
  WITH bigFrame DO
    x := 50; y := 50;
    w := 450; h := 250;
  END;
  CreateWindow( theWindow, FixedLocation,
                WithoutScrollBars, WithoutCloseBox, WithoutZoomBox,
                bottomLeft, bigFrame, "Test", AutoRestoreProc );
END MakeWindow;

PROCEDURE JustQuit( VAR reallyQuit: BOOLEAN );
BEGIN
  reallyQuit := TRUE;
END JustQuit;

PROCEDURE MakeMenuBar;
BEGIN
  InstallMenu( firstMenu, "PaintModes", enabled );
  InstallSubMenu( firstMenu, modeMenu, "Paint Modes", enabled );
    InstallCommand( modeMenu, modeReplaceComm, "Replace",           SetModeReplace,
                    enabled, unchecked );
    InstallCommand( modeMenu, modePaintComm,   "Paint (OR)",      SetModePaint,
                    enabled, unchecked );
    InstallCommand( modeMenu, modeInvertComm,  "Invert (XOR)",    SetModeInvert,
                    enabled, unchecked );
    InstallCommand( modeMenu, modeEraseComm,   "Erase",          SetModeErase,
                    enabled, unchecked );

  InstallCommand( firstMenu, stripesComm, "Draw stripes",
                 DrawStripes, enabled, unchecked );
  InstallCommand( firstMenu, paintComm,   "Test paint and write",
                 Paint, enabled, unchecked );
  InstallCommand( firstMenu, clearComm,   "Clear window",
                 EraseContent, enabled, unchecked );
  InstallQuitCommand( "Quit", JustQuit, "Q" );

  InstallAliasChar( firstMenu, setModeComm, "M" );
  InstallAliasChar( firstMenu, stripesComm, "S" );
  InstallAliasChar( firstMenu, paintComm,   "P" );
  InstallAliasChar( firstMenu, clearComm,   "X" );
END MakeMenuBar;



BEGIN
  SetLanguage( English );

  MakeMenuBar;
  currentPaintMode := replace;
  CheckModeCommand( currentPaintMode );
  SetCheckSym( modeMenu, modeReplaceComm, 23C );
  SetCheckSym( modeMenu, modePaintComm,   23C );
  SetCheckSym( modeMenu, modeInvertComm,  23C );
  SetCheckSym( modeMenu, modeEraseComm,   23C );

  MakeWindow;

```

```
RunDialogMachine;  
END PaintModes.
```



```

MODULE MouseTest;
(*
 * Demonstrates and tests some basic mouse functions of the
 * Dialog Machine.
*)

FROM DMMaster IMPORT RunDialogMachine, DialogMachineTask;
FROM DMMenus IMPORT Menu, Command, InstallMenu, InstallCommand,
AccessStatus, Marking, InstallAliasChar,
InstallQuitCommand;
FROM DMWindows IMPORT Window, WindowKind, ScrollBars, WFFixPoint,
CloseAttr, ZoomAttr, WindowFrame, RectArea,
CreateWindow, AutoRestoreProc;
FROM DMWindIO IMPORT GetCurMousePos, RectClicked, SetPos,
WriteString, WriteInt, GreyContent, pat, Area,
SetMode, GetMode, PaintMode;

VAR
  firstMenu: Menu;
  startComm: Command;
  stopComm: Command;

  theWindow: Window;
  greyBox: RectArea;

  monitoringIsOn: BOOLEAN;

PROCEDURE MonitorMouse;
VAR
  mouseX, mouseY: INTEGER;
  savedMouseX, savedMouseY: INTEGER;
  counter: INTEGER;
  savedMode: PaintMode;
BEGIN
  savedMouseX := MIN(INTEGER);
  savedMouseY := MIN(INTEGER);
  monitoringIsOn := TRUE;
  counter := 0;
  WHILE monitoringIsOn DO
    GetCurMousePos( mouseX, mouseY );
    IF (savedMouseX#mouseX) OR (savedMouseY#mouseY) THEN
      SetPos( 3, 3 ); WriteString( " " );
      SetPos( 3, 3 ); WriteInt( mouseX, 5 ); WriteInt( mouseY, 5 );
      savedMouseX := mouseX; savedMouseY := mouseY;
    END;
    IF RectClicked( greyBox ) THEN
      SetPos( 5, 3 ); WriteString( "Mouse click" );
      counter := 50;
    ELSE
      IF counter > 0 THEN
        DEC( counter );
      ELSIF counter = 0 THEN
        GetMode( savedMode );
        SetMode( erase );
        SetPos( 5, 3 ); WriteString( "Mouse click" );
        SetMode( savedMode );
      END;
    END;
    DialogMachineTask; (* allows user actions i.e. menu
selection during monitoring *)
  END;
END MonitorMouse;

PROCEDURE StopMonitoring;
BEGIN
  monitoringIsOn := FALSE;
END StopMonitoring;
PROCEDURE JustQuit( VAR reallyQuit: BOOLEAN );
BEGIN
  StopMonitoring;

```

```

    reallyQuit := TRUE;
END JustQuit;

PROCEDURE MakeMenuBar;
BEGIN
  InstallMenu( firstMenu, "Mouse", enabled );
  InstallCommand( firstMenu, startComm, "Start monitoring mouse",
                  MonitorMouse, enabled, unchecked );
  InstallCommand( firstMenu, stopComm, "Stop monitoring mouse",
                  StopMonitoring, enabled, unchecked );
  InstallQuitCommand( "Quit", JustQuit, "Q" );

  InstallAliasChar( firstMenu, startComm, "M" );
  InstallAliasChar( firstMenu, stopComm, "E" );
END MakeMenuBar;

PROCEDURE MakeWindow;
VAR
  frame: WindowFrame;
BEGIN
  WITH frame DO
    x := 50; y := 45;
    w := 280; h := 180;
  END;
  CreateWindow( theWindow, FixedSize,
                WithoutScrollBars, WithoutCloseBox, WithoutZoomBox,
                bottomLeft, frame, "Test", AutoRestoreProc );


  SetPos( 2, 3 ); WriteString( "Mouse position (X,Y)" );

  WITH greyBox DO
    x := 50; y := 45;
    w := 50; h := 50;
  END;
  Area( greyBox, pat[ lightGrey ] );
END MakeWindow;

BEGIN
  monitoringIsOn := FALSE;

  MakeMenuBar;
  MakeWindow;
  RunDialogMachine;
END MouseTest.

```



```

MODULE ScrollTest;

(*
 * This program demonstrates the use of scroll bars
*)

FROM DMMaster IMPORT RunDialogMachine;

FROM DMMenus IMPORT Menu, InstallMenu, AccessStatus, InstallQuitCommand;

FROM DMWindows IMPORT Window, CreateWindow, WindowKind, ScrollBars, RectArea,
                  CloseAttr, ZoomAttr, WindowFrame, WFFixPoint;

FROM DMWindIO IMPORT SetPen, LineTo, GreyContent, pat, StartPolygon,
                  CloseAndFillPolygon, SetContSize, SetScrollStep,
                  SetScrollProc, AutoScrollProc;

VAR
  firstMenu:      Menu;
  starWindow:     Window;

PROCEDURE JustQuit( VAR reallyQuit: BOOLEAN );
BEGIN
  reallyQuit := TRUE;
END JustQuit;

PROCEDURE DrawStar( w: Window );
BEGIN
  SetPen( 22, 22 );
  StartPolygon;
  LineTo( 43, 32 );
  LineTo( 56, 20 );
  LineTo( 52, 38 );
  LineTo( 70, 50 );
  LineTo( 53, 50 );
  LineTo( 47, 66 );
  LineTo( 40, 50 );
  LineTo( 20, 50 );
  LineTo( 32, 40 );
  LineTo( 22, 22 );
  CloseAndFillPolygon( pat[ lightGrey ] );
END DrawStar;

PROCEDURE MakeWindow;
VAR
  frame:      WindowFrame;
  contentRect: RectArea;
BEGIN
  WITH frame DO
    x := 20; y := 20;
    w := 200; h := 200;
  END;

  CreateWindow( starWindow, GrowOrShrinkOrDrag,
                WithBothScrollBars, WithCloseBox, WithZoomBox,
                bottomLeft, frame, "A star is born", DrawStar );

  WITH contentRect DO
    x := 0; y := 0;
    w := 300; h := 300;
  END;
  SetContSize( starWindow, contentRect );
  SetScrollStep( starWindow, 50, 10 );

```

```

        SetScrollProc( starWindow, AutoScrollProc );
END MakeWindow;

PROCEDURE MakeMenuBar;
BEGIN
    InstallMenu( firstMenu, "ScrollTest", enabled );
    InstallQuitCommand( "Quit", JustQuit, "Q" );
END MakeMenuBar;

BEGIN
    MakeMenuBar;
    MakeWindow;
    RunDialogMachine;
END ScrollTest.

```



```

MODULE EFDemo;

(*
 * Demonstrates the use of EditFields
 *
 * Note that the Dialog Machine automatically adds a menu entry (the quit
 * command) because without it the program could not be terminated.
*)

FROM DMMaster      IMPORT InitDialogMachine, RunDialogMachine;
FROM DMWindows      IMPORT Window, WindowKind, ScrollBars, WFFixPoint,
                        CloseAttr, ZoomAttr, WindowFrame,
                        CreateWindow, AutoRestoreProc;
FROM DMEditFields  IMPORT EditItem, MakeStringField, MakePushButton, GetString,
                        MakeScrollBar, Direction, UseAsDefaultButton,
                        GetScrollBar;
FROM DMWindIO       IMPORT SetPos, WriteString, WriteReal, PaintMode, SetMode;

CONST
    vertiScrollStart = 1.0; (* first position of vertical scroll bar *)

VAR
    theWindow:      Window;
    stringEF:       EditItem;
    pressMeButton: EditItem;
    horiScroller:  EditItem;
    vertiScroller: EditItem;

    curVertiVal:   REAL; (* current value of vertical scroll bar *)

PROCEDURE DisplayEFContents;
VAR
    currentContents: ARRAY[ 0..21 ] OF CHAR;
BEGIN
    (*
     * fetch the contents of the string field
     *)
    GetString( stringEF, currentContents );
    (*
     * erase what was previously there and display the current contents
     *)
    SetPos( 2, 3 ); WriteString( "                                         " );
    SetPos( 3, 3 ); WriteString( "Field contents: '" );
    WriteString( currentContents ); WriteString( "'." );
END DisplayEFContents;

PROCEDURE DisplayHoriScrollValue;
VAR
    curVal: REAL;
BEGIN
    SetPos( 2, 3 ); WriteString( "                                         " );
    SetPos( 2, 3 ); WriteString( "Scroll bar:" );
    GetScrollBar( horiScroller, curVal );
    WriteReal( curVal, 10, 2 );
END DisplayHoriScrollValue;

PROCEDURE DisplayVertiScrollValue;
BEGIN
    SetMode( erase );
    SetPos( 7, 38 );
    WriteReal( curVertiVal, 6, 2 );
    SetMode( replace );
    SetPos( 7, 38 );

```

```


GetScrollBar( vertiScroller, curVertiVal );
WriteReal( curVertiVal, 6, 2 );
END DisplayVertiScrollValue;

PROCEDURE AddEditFields;
BEGIN
  MakeStringField( theWindow, stringEF, 20, 50, 21, "Hallo!" );
  MakePushButton( theWindow, pressMeButton, 60, 100, 10, "press me",
                 DisplayEFContents );
  UseAsDefaultButton( pressMeButton );
  MakeScrollBar( theWindow, horiScroller, 200, 100, 120, horizontal,
                 0.0, 15.0, 0.2, 2.0, 5.0, DisplayHoriScrollValue );
  MakeScrollBar( theWindow, vertiScroller, 360, 20, 100, vertical,
                 -1.0, 1.0, 0.05, 0.5, vertiScrollStart, DisplayVertiScrollValue );
END AddEditFields;

PROCEDURE MakeWindow;
VAR
  frame: WindowFrame;
BEGIN
  WITH frame DO
    x := 50; y := 50;
    w := 400; h := 180;
  END;
  CreateWindow( theWindow, FixedSize,
                WithoutScrollBars, WithoutCloseBox, WithoutZoomBox,
                bottomLeft, frame, "Test", AutoRestoreProc );
END MakeWindow;

BEGIN
  InitDialogMachine;
  MakeWindow;
  curVertiVal := vertiScrollStart;
  AddEditFields;
  RunDialogMachine;
END EFDemo.

```



```

MODULE DragZoom;

(*
* This sample Dialog Machine program shows the use of
* the dragging mechanism and how to display predefined pictures.
*)

FROM DMMaster      IMPORT RunDialogMachine, AddMouseHandler, MouseHandlers;
FROM DMSystem       IMPORT ScreenWidth, ScreenHeight, MenuBarHeight;
FROM DMMenus        IMPORT Menu, Command, AccessStatus, Marking,
                           InstallMenu, InstallCommand, InstallQuitCommand;
FROM DMWindows      IMPORT Window, WindowKind, ScrollBars, WFFixPoint,
                           CloseAttr, ZoomAttr, WindowFrame, RectArea,
                           CreateWindow, AutoRestoreProc;
FROM DMWindIO        IMPORT DisplayPredefinedPicture, EraseContent, SetPen, LineTo,
                           GetCurMousePos, Drag, SetPos, WriteString, WriteLn;

CONST
  PictWidth    = 125;    (* values provided by the DMResMover *)
  PictHeight   = 73;
  (* PictID      = 777; (* a grey-scale fish *)           *)
  (* PictID      = 778; (* a black and white sea star *)  *)
  PictID       = 779; (* a black and white fish *)
  PictFileName = "Fish";

VAR
  firstMenu:   Menu;
  clearComm:   Command;
  resetComm:   Command;

  theWindow:   Window;

  startX, startY: INTEGER; (* start coordinates of the selection rectangle *)

PROCEDURE Min(a,b: INTEGER): INTEGER;
BEGIN
  IF a < b THEN
    RETURN a
  ELSE
    RETURN b
  END;
END Min;

PROCEDURE DrawRect( MouseX, MouseY: INTEGER);
BEGIN
  SetPen( startX, startY );
  LineTo( startX, MouseY );
  LineTo( MouseX, MouseY );
  LineTo( MouseX, startY );
  LineTo( startX, startY );
END DrawRect;

PROCEDURE DrawZoomedPicture( MouseX, MouseY: INTEGER );
VAR
  r: RectArea;
BEGIN
  WITH r DO
    x := Min( startX, MouseX );           (* set (x,y) to lower left corner *)
    y := Min( startY, MouseY );

```

```

        w := ABS( startX - MouseX );           (* fit pict size to rectangle *)
        h := ABS( startY - MouseY );
END;
DisplayPredefinedPicture( PictFileName, PictID, r );
END DrawZoomedPicture;

PROCEDURE MakeSelection( w: Window );
BEGIN
    GetCurMousePos( startX, startY );
    Drag( DrawRect, DrawZoomedPicture );
END MakeSelection;

PROCEDURE WriteExplanations;
BEGIN
    SetPos( 2, 1 );
    WriteString( " Define a rectangle by dragging the cursor" ); WriteLn;
    WriteString( " along its diagonal with the mouse button pressed." ); WriteLn;
    WriteLn;
    WriteString(" The picture will be redrawn and scaled to fit the rectangle.");
END WriteExplanations;

PROCEDURE ResetPicture;
VAR
    r: RectArea;
BEGIN
    WITH r DO
        x := (ScreenWidth() - PictWidth) DIV 2;          (* center picture *)
        y := (ScreenHeight() - MenuBarHeight() - PictHeight) DIV 2;
        w := 0;                                         (* no scaling *)
        h := 0;
    END;
    EraseContent;
    WriteExplanations;
    DisplayPredefinedPicture( PictFileName, PictID, r );
END ResetPicture;

PROCEDURE ClearWindow;
BEGIN
    EraseContent;
    WriteExplanations;
END ClearWindow;

PROCEDURE JustQuit( VAR ReallyQuit: BOOLEAN );
BEGIN
    ReallyQuit := TRUE;
END JustQuit;

PROCEDURE MakeWindow;
VAR
    frame: WindowFrame;
BEGIN
    WITH frame DO
        x := 0; y := 0;
        w := ScreenWidth(); h := ScreenHeight() - MenuBarHeight();
    END;
    CreateWindow( theWindow, FixedLocation,
                  WithoutScrollBars, WithoutCloseBox, WithoutZoomBox,
                  bottomLeft, frame, "Drag & Zoom", AutoRestoreProc );
END MakeWindow;

PROCEDURE MakeMenuBar;
BEGIN
    InstallMenu( firstMenu, "Drag&Zoom", enabled );


```

```

InstallCommand( firstMenu, clearComm, "Clear window contents",
    ClearWindow, enabled, unchecked );
InstallCommand( firstMenu, resetComm, "Redraw picture in original size",
    ResetPicture, enabled, unchecked );
InstallQuitCommand( "Quit", JustQuit, "Q" );
END MakeMenuBar;

BEGIN
    MakeMenuBar;
    MakeWindow;
    ResetPicture;
    AddMouseHandler( WindowContent, MakeSelection, 1 );
    RunDialogMachine;
END DragZoom.

```





**BERICHTE DER FACHGRUPPE SYSTEMÖKOLOGIE  
SYSTEMS ECOLOGY REPORTS**

Nr./No.

- 1 FISCHLIN, A., BLANKE, T., GYALISTRAS, D., BALTENSWEILER, M., NEMECEK, T., ROTH, O. & ULRICH, M. (1993, 2. korrigierte und erweiterte Aufl.): Unterrichtsprogramm "Weltmodell 2". 34pp. doi: [10.3929/ethz-a-004271259](https://doi.org/10.3929/ethz-a-004271259)
- 1 FISCHLIN, A., BLANKE, T., GYALISTRAS, D., BALTENSWEILER, M., NEMECEK, T., ROTH, O. & ULRICH, M. (2010, 3. korrigierte Aufl.): Unterrichtsprogramm "Weltmodell 2". 36pp. doi: [10.3929/ethz-b-000729485](https://doi.org/10.3929/ethz-b-000729485)
- 2 FISCHLIN, A. & ULRICH, M. (1990): Unterrichtsprogramm "Stabilität". 20pp. doi: [10.3929/ethz-a-004271266](https://doi.org/10.3929/ethz-a-004271266)
- 2 FISCHLIN, A. & ULRICH, M. (2010, 2. korrigierte Aufl.): Unterrichtsprogramm "Stabilität". 20pp. doi: [10.3929/ethz-b-000729486](https://doi.org/10.3929/ethz-b-000729486)
- 3 FISCHLIN, A. & ULRICH, M. (1990): Unterrichtsprogramm "Drosophila". 13pp. doi: [10.3929/ethz-a-004271268](https://doi.org/10.3929/ethz-a-004271268)
- 3 FISCHLIN, A. & ULRICH, M. (2010, 2. korrigierte Aufl.): Unterrichtsprogramm "Drosophila". 16pp. doi: [10.3929/ethz-b-000729487](https://doi.org/10.3929/ethz-b-000729487)
- 4 ROTH, O. (1990): Maisreife - das Konzept der physiologischen Zeit. 5pp. doi: [10.3929/ethz-b-000728532](https://doi.org/10.3929/ethz-b-000728532)
- 5 FISCHLIN, A., ROTH, O., BLANKE, T., BUGMANN, H., GYALISTRAS, D. & THOMMEN, F. (1990): Fallstudie interdisziplinäre Modellierung eines terrestrischen Ökosystems unter Einfluss des Treibhauseffektes. 35pp. doi: [10.3929/ethz-b-000728533](https://doi.org/10.3929/ethz-b-000728533)
- 6 FISCHLIN, A. (1990): On Daisyworlds: The Reconstruction of a Model on the Gaia Hypothesis. 19pp. doi: [10.3929/ethz-b-000728534](https://doi.org/10.3929/ethz-b-000728534)
- 7<sup>1\*</sup> GYALISTRAS, D. (1990): Implementing a One-Dimensional Energy Balance Climatic Model on a Microcomputer (*out of print*)
- 8 FISCHLIN, A., & ROTH, O., GYALISTRAS, D., ULRICH, M. UND NEMECEK, T. (1990): ModelWorks - An Interactive Simulation Environment for Personal Computers and Workstations (*for new edition see Systems Ecology Report 14*). 174pp. doi: [10.3929/ethz-b-000728535](https://doi.org/10.3929/ethz-b-000728535)
- 9 FISCHLIN, A. (1990): Interactive Modeling and Simulation of Environmental Systems on Workstations. 16pp. doi: [10.3929/ethz-b-000728536](https://doi.org/10.3929/ethz-b-000728536)
- 10 ROTH, O., DERRON, J., FISCHLIN, A., NEMECEK, T. & ULRICH, M. (1992): Implementation and Parameter Adaptation of a Potato Crop Simulation Model Combined with a Soil Water Subsystem. 30pp. doi: [10.3929/ethz-b-000728537](https://doi.org/10.3929/ethz-b-000728537)
- 11<sup>\*</sup> NEMECEK, T., FISCHLIN, A., ROTH, O. & DERRON, J. (1993): Quantifying Behaviour Sequences of Winged Aphids on Potato Plants for Virus Epidemic Models. 16pp. doi: [10.3929/ethz-b-000728538](https://doi.org/10.3929/ethz-b-000728538)

---

\* Out of print

- 12 FISCHLIN, A. (1991): Modellierung und Computersimulationen in den Umweltnaturwissenschaften. 13pp. doi: [10.3929/ethz-b-000728539](https://doi.org/10.3929/ethz-b-000728539)
- 13 FISCHLIN, A. & BUGMANN, H. (1992): Think Globally, Act Locally! A Small Country Case Study in Reducing Net CO<sub>2</sub> Emissions by Carbon Fixation Policies. 9pp. doi: [10.3929/ethz-b-000728540](https://doi.org/10.3929/ethz-b-000728540)
- 14 FISCHLIN, A., GYALISTRAS, D., ROTH, O., ULRICH, M., THÖNY, J., NEMECEK, T., BUGMANN, H. & THOMMEN, F. (1994): ModelWorks 2.2 – An Interactive Simulation Environment for Personal Computers and Workstations. 324pp. doi: [10.3929/ethz-b-000728541](https://doi.org/10.3929/ethz-b-000728541)
- 15 FISCHLIN, A., BUGMANN, H. & GYALISTRAS, D. (1992): Sensitivity of a Forest Ecosystem Model to Climate Parametrization Schemes. 27pp. doi: [10.3929/ethz-b-000728542](https://doi.org/10.3929/ethz-b-000728542)
- 16 FISCHLIN, A. & BUGMANN, H. (1993): Comparing the Behaviour of Mountainous Forest Succession Models in a Changing Climate. 14pp. doi: [10.3929/ethz-b-000728543](https://doi.org/10.3929/ethz-b-000728543)
- 17 GYALISTRAS, D., STORCH, H. v., FISCHLIN, A., BENISTON, M. (1994): Linking GCM-Simulated Climatic Changes to Ecosystem Models: Case Studies of Statistical Downscaling in the Alps. 33pp. doi: [10.3929/ethz-b-000728544](https://doi.org/10.3929/ethz-b-000728544)
- 18 NEMECEK, T., FISCHLIN, A., DERRON, J. & ROTH, O. (1993): Distance and Direction of Trivial Flights of Aphids in a Potato Field. 13pp. doi: [10.3929/ethz-b-000728545](https://doi.org/10.3929/ethz-b-000728545)
- 19 PERRUCHAUD, D. & FISCHLIN, A. (1994): The Response of the Carbon Cycle in Undisturbed Forest Ecosystems to Climate Change: A Review of Plant–Soil Models. 29pp. doi: [10.3929/ethz-b-000728546](https://doi.org/10.3929/ethz-b-000728546)
- 20 THÖNY, J. (1994): Practical considerations on portable Modula 2 code. 6pp. doi: [10.3929/ethz-b-000728547](https://doi.org/10.3929/ethz-b-000728547)
- 21 THÖNY, J., FISCHLIN, A. & GYALISTRAS, D. (1994): Introducing RASS - The RAMSES Simulation Server. 32pp. doi: [10.3929/ethz-b-000728548](https://doi.org/10.3929/ethz-b-000728548)
- 22 GYALISTRAS, D. & FISCHLIN, A. (1996): Derivation of climate change scenarios for mountainous ecosystems: A GCM-based method and the case study of Valais, Switzerland. 23pp. doi: [10.3929/ethz-b-000728549](https://doi.org/10.3929/ethz-b-000728549)
- 23 LÖFFLER, T.J. (1996): How To Write Fast Programs. 20pp. doi: [10.3929/ethz-b-000728550](https://doi.org/10.3929/ethz-b-000728550)
- 24 LÖFFLER, T.J., FISCHLIN, A., & ULRICH, M. (1996): Benchmark Experiments on Workstations. 40pp. doi: [10.3929/ethz-b-000728551](https://doi.org/10.3929/ethz-b-000728551)
- 25 FISCHLIN, A., LISCHKE, H. & BUGMANN, H. (1995): The Fate of Forests In a Changing Climate: Model Validation and Simulation Results From the Alps. 18pp. doi: [10.3929/ethz-b-000728552](https://doi.org/10.3929/ethz-b-000728552)
- 26 LISCHKE, H., LÖFFLER, T.J., FISCHLIN, A. (1996): Calculating temperature dependence over long time periods: Derivation of methods. 19pp. doi: [10.3929/ethz-b-000728553](https://doi.org/10.3929/ethz-b-000728553)
- 27 LISCHKE, H., LÖFFLER, T.J., FISCHLIN, A. (1996): Calculating temperature dependence over long time periods: A comparison of methods. 14pp. doi: [10.3929/ethz-b-000728554](https://doi.org/10.3929/ethz-b-000728554)
- 28 LISCHKE, H., LÖFFLER, T.J., FISCHLIN, A. (1996): Aggregation of Individual Trees and Patches in Forest Succession Models: Capturing Variability with Height Structured Random Dispersions. 16pp. doi: [10.3929/ethz-b-000728555](https://doi.org/10.3929/ethz-b-000728555)
- 29 FISCHLIN, A., BUCHTER, B., MATILE, L., AMMON, K., HEPPERLE, E., LEIFELD, J. & FUHRER, J. (2003): Bestandesaufnahme zum Thema Senken in der Schweiz. Verfasst im Auftrag des BUWAL. 86pp. doi: [10.3929/ethz-b-000728556](https://doi.org/10.3929/ethz-b-000728556)
- 30 KELLER, D. (2003): Introduction to the Dialog Machine, 2<sup>nd</sup> ed. Price,B (editor of 2<sup>nd</sup> ed). 35pp. doi: [10.3929/ethz-b-000728557](https://doi.org/10.3929/ethz-b-000728557)
- 31 FISCHLIN, A. (2011, ed.2): IPCC estimates for emissions from land-use change, notably deforestation. 3pp. doi: [10.3929/ethz-b-000728558](https://doi.org/10.3929/ethz-b-000728558)

- 32 FISCHLIN, A. (2010): Leben im und mit dem Klimawandel – Lebensgrundlagen in Gefahr?. 17pp. doi: [10.3929/ethz-b-000728559](https://doi.org/10.3929/ethz-b-000728559)
- 33 FISCHLIN, A. (2010): Andreas Fischlin nimmt Stellung zu Fragen rund um die Klimaproblematik - unter Mitwirkung von Markus Hofmann, Christian Speicher, Betty Zucker, Martin Läubli und Jürg Fuhrer. 49pp. doi: [10.3929/ethz-b-000728560](https://doi.org/10.3929/ethz-b-000728560)
- 34 FISCHLIN, A. & FISCHLIN-KISSLING, M.M. (2011): Limits to Growth and Courseware «World Model 2». Update and translation of “Unterrichtsprogramm «Weltmodell 2»” by Fischlin, A., T. Blanke, D. Gyalistras, M. Baltensweiler & M. Ulrich, 1993 (Systems Ecology Report No. 1). 41pp. doi: [10.3929/ethz-b-000728561](https://doi.org/10.3929/ethz-b-000728561)
- 35 FISCHLIN, A. & ULRICH, M. (2025): Courseware «Stability». Revision and translation of “Unterrichtsprogramm «Stabilität»” by Fischlin, A. & M. Ulrich, 2010 (Systems Ecology Report No. 2). 20pp. doi: [10.3929/ethz-b-000728562](https://doi.org/10.3929/ethz-b-000728562)

Um die empfohlene Zitierung eines oben aufgeführten Berichts zu erhalten, fügen Sie vor der Seitenzahl als Herausgeber “Terrestrial Systems Ecology, Department of Environmental Systems Science, ETH Zurich”, die Adresse “Zurich, Switzerland”, den Serientitel “Systems Ecology Report”, sowie die Nummer des Berichts ein. Bsp.: / To obtain the recommended citation of a report listed above insert before the number of pages as the publisher “Terrestrial Systems Ecology, Department of Environmental Systems Science, ETH Zurich”, the address “Zurich, Switzerland”, the series title “Systems Ecology Report” and the number of the report. Ex.:

PERRUCHAUD, D. & FISCHLIN, A. (1994): The Response of the carbon cycle in undisturbed forest ecosystems to climate change: A review of plant–soil models. Terrestrial Systems Ecology, Department of Environmental Systems Science, ETH Zurich, Zurich, Switzerland, Systems Ecology Report No. **19**: 29pp. doi: [10.3929/ethz-b-000728546](https://doi.org/10.3929/ethz-b-000728546)

Diese Berichte können in gedruckter Form auch bei folgender Adresse zum Selbstkostenpreis bezogen werden / Order any of the listed reports against printing costs and minimal handling charge from the following address:

ETH ZURICH, TERRESTRIAL SYSTEMS ECOLOGY UNIVERSITÄTSTR. 16, 8092 ZURICH, SWITZERLAND
---